ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 609 (2000) 204

Journal of Organometallic Chemistry

Author Index of Volume 609

Ainscough, E.W., 2
Albertin, G., 10
Antiñolo, A., 123
Antoniutti, S., 10
Ashworth, N.J., 83

Barbier-Baudry, D., 21
Basallote, M.G., 29
Berke, H., 196
Bordignon, E., 10
Brammer, L., 36
Bresolin, D., 10
Brodie, A.M., 2
Brunner, H., 44
Burrell, A.K., 2

Calhorda, M.J., 53
Carlton, L., 60
Carrillo-Hermosilla, F., 123
Clarke, L.P., 169
Conway, S.L.J., 83
Cote-Bruand, I., 66

Daniel, C., 66
Davies, J.E., 169
Dormond, A., 21
Durán, J., 29

Fang, X., 95
Fehlner, T.P., 77
Fernández-Baeza, J., 123
Fernández-Trujillo, M.J., 29
Fox, T., 196
Frackowiak, M., 189

García-Yuste, S., 123
Gautier, R., 196
Green, J.C., 83
Green, M.L.H., 83
Guillaumont, D., 66

Hardman, N.J., 152
Heitz, M.C., 66
Hollman, A., 44
Honda, Z., 184
Housecroft, C.E., 89
Huhmann-Vincent, J., 95
Hwang, C.-S., 152

Jiménez Tenorio, M., 161

Kamiguchi, S., 184
Kennedy, S.M.F., 2
Krause, W., 189
Kubas, G.J., 95

Leong, W.K., 104
Lopes, P.E.M., 53
Lough, A.J., 110

Maisse-François, A., 196
Máñez, M.A., 29
Mareque Rivas, J.C., 36
Maruyama, Y., 130
Molapisi, J.J., 60
Morris, R.H., 110
Mühle, S.H., 189

Nixon, D.M., 89
Nuber, B., 44

Omotowa, B., 189
Otero, A., 123
Ozawa, F., 130

Park, S.H., 110
Peldo, M.A., 77
Pereira, L., 104
Periasamy, M., 137

Plasseraud, L., 196
Power, P.P., 152
Puerta, M.C., 161

Raithby, P.R., 169
Rennie, M.-A., 169
Rheingold, A.L., 89
Rickard, C.E.F., 177
Roper, W.R., 177

Saillard, J.-Y., 196
Saito, T., 184
Sánchez-Prada, J., 123
Schumann, H., 189
Schutte, S., 189
Scott, B.L., 95
Shang, M., 77
Shields, G.P., 169
Sparr, E., 169
Spilling, C.D., 36
Stoeckli-Evans, H., 196
Süss-Fink, G., 196

Thirumalaikumar, M., 137
Twamley, B., 152

Valerga, P., 161
Velder, J., 189
Villaseñor, E., 123
Visseaux, M., 21

Wassermann, B.C., 189
Wong, S.Y., 104
Woodgate, S.D., 177
Wright, L.J., 177

Yap, G.P.A., 110
Yoshiuchi, K., 130

Zabel, M., 44

PII: S0022-328X(00)00559-3

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 609 (2000) 204

Journal of Organometallic Chemistry

Author Index of Volume 609

Ainscough, E.W., 2
Albertin, G., 10
Antiñolo, A., 123
Antoniutti, S., 10
Ashworth, N.J., 83

Barbier-Baudry, D., 21
Basallote, M.G., 29
Berke, H., 196
Bordignon, E., 10
Brammer, L., 36
Bresolin, D., 10
Brodie, A.M., 2
Brunner, H., 44
Burrell, A.K., 2

Calhorda, M.J., 53
Carlton, L., 60
Carrillo-Hermosilla, F., 123
Clarke, L.P., 169
Conway, S.L.J., 83
Cote-Bruand, I., 66

Daniel, C., 66
Davies, J.E., 169
Dormond, A., 21
Durán, J., 29

Fang, X., 95
Fehlner, T.P., 77
Fernández-Baeza, J., 123
Fernández-Trujillo, M.J., 29
Fox, T., 196
Frackowiak, M., 189

García-Yuste, S., 123
Gautier, R., 196
Green, J.C., 83
Green, M.L.H., 83
Guillaumont, D., 66

Hardman, N.J., 152
Heitz, M.C., 66
Hollman, A., 44
Honda, Z., 184
Housecroft, C.E., 89
Huhmann-Vincent, J., 95
Hwang, C.-S., 152

Jiménez Tenorio, M., 161

Kamiguchi, S., 184
Kennedy, S.M.F., 2
Krause, W., 189
Kubas, G.J., 95

Leong, W.K., 104
Lopes, P.E.M., 53
Lough, A.J., 110

Maisse-François, A., 196
Máñez, M.A., 29
Mareque Rivas, J.C., 36
Maruyama, Y., 130
Molapisi, J.J., 60
Morris, R.H., 110
Mühle, S.H., 189

Nixon, D.M., 89
Nuber, B., 44

Omotowa, B., 189
Otero, A., 123
Ozawa, F., 130

Park, S.H., 110
Peldo, M.A., 77
Pereira, L., 104
Periasamy, M., 137

Plasseraud, L., 196
Power, P.P., 152
Puerta, M.C., 161

Raithby, P.R., 169
Rennie, M.-A., 169
Rheingold, A.L., 89
Rickard, C.E.F., 177
Roper, W.R., 177

Saillard, J.-Y., 196
Saito, T., 184
Sánchez-Prada, J., 123
Schumann, H., 189
Schutte, S., 189
Scott, B.L., 95
Shang, M., 77
Shields, G.P., 169
Sparr, E., 169
Spilling, C.D., 36
Stoeckli-Evans, H., 196
Süss-Fink, G., 196

Thirumalaikumar, M., 137
Twamley, B., 152

Valerga, P., 161
Velder, J., 189
Villaseñor, E., 123
Visseaux, M., 21

Wassermann, B.C., 189
Wong, S.Y., 104
Woodgate, S.D., 177
Wright, L.J., 177

Yap, G.P.A., 110
Yoshiuchi, K., 130

Zabel, M., 44

PII: S0022-328X(00)00559-3

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 609 (2000) 205–208

Journal of Organometallic Chemistry

Subject Index of Volume 609

Ab initio calculations
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, 53
Acetylide
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, 10
Additives
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, 137
AIM
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, 53
Ansa-ligands
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, 83
Antiferromagnetic interaction
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, 184
Azide
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152

1,4-Bis(trimethylsilyl)-1-buten-3-yne
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, 130
Borane
Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$, 77
Boranes
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H, Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)$, complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, 123
Borohydride
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, 83
Boron
The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, 89

Carbonyl cluster
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)\text{-}C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, 169
Catalytic hydrosilylation
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, 130
Chromium sulfide
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, 184
Cluster
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196
Cluster complex
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, 184
Clusters
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, 44
Cobalt
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)\text{-}C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, 169
Crystal structures
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_8]$, 2
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, 44
Cyclooctene
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, 95

Dendritic molecule
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis-[2-(triphenylstannyl)ethylene]silane, 189
Density functional calculations
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196
Dichloromethane
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, 95
Dihydrogen
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, 95
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110

PII: S0022-328X(00)00560-X

Dihydrogen complexes
Synthesis and properties of the 16-electron complex [(C_5Me_5)-RuCl(PMe^{i}Pr$_2$)] and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, 161
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-[FeH(H_2)(DPPE)$_2$]$^+$ and related compounds, 29
Dihydrogen ligand
The cluster dication [$H_6Ru_4(C_6H_6)_4$]$^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196
Dinitrogen complexes
Synthesis and properties of the 16-electron complex [(C_5Me_5)-RuCl(PMe^{i}Pr$_2$)] and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, 161
Dithio-ligands
The ligand [Cp_2MoH_2] in complexes with Ag–S bonds, 44
Diyne
Reaction of [$Os_3H_2(CO)_{10}$] with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards [$Co_2(CO)_8$]: the X-ray structures of [$Os_3(\mu$-H)(CO)$_{10}\{\mu$-η^1-η^2-HC$_2$(SiMe$_3$)-C$_2$(SiMe$_3$)$\}$], [$Os_3(\mu$-CO)(CO)$_9\{\mu_3$-η^2-Me$_3$SiC$_2$C$_2$SiMe$_3\}$] and [$Os_3(\mu$-H)(CO)$_9\{\mu_3$-η^1:η^2-;μ-η^2-Me$_3$SiC$_2$C$_2$[Co$_2$-(CO)$_6\}$], 169

Electronic spectroscopy–photoreactivity
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, 66
Enhancement of reactivity
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, 137

Half-sandwich complexes
Synthesis and properties of the 16-electron complex [(C_5Me_5)-RuCl(PMe^{i}Pr$_2$)] and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, 161
Halides
Studies on the reactivity of Nb(η^5-$C_5H_4SiMe_3$)$_2$(X)(L), X = H,Cl; L = CNXylyl, CNCy, CO and Nb(η^5-$C_5H_4SiMe_3$)$_2$(H)$_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, 123
Heterobimetallic
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21
Heterometallic cluster
The clusters $HRu_3W(\eta^5$-Cp)(CO)$_{11-x}$(PPh$_3$)$_x$BH (x = 1, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5$-Cp)(CO)$_{10}$(PPh$_3$)BH, 89
Heteronuclear
The heteronuclear cluster $RuOs_3(\mu$-H)$_2$(CO)$_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104
Hydride
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21
Reactivity of [Re(η^2-H_2)(CO)$_2$P$_3$]$^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, 10
The clusters $HRu_3W(\eta^5$-Cp)(CO)$_{11-x}$(PPh$_3$)$_x$BH (x = 1, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5$-Cp)(CO)$_{10}$(PPh$_3$)BH, 89
The heteronuclear cluster $RuOs_3(\mu$-H)$_2$(CO)$_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104
Hydride complexes
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of Os(Si{OCH$_2$CH$_2$}$_3$N)H$_3$(PPh$_3$)$_2$, 177
Hydrides
Studies on the reactivity of Nb(η^5-$C_5H_4SiMe_3$)$_2$(X)(L), X = H,Cl; L = CNXylyl, CNCy, CO and Nb(η^5-$C_5H_4SiMe_3$)$_2$(H)$_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, 123
Hydrido complexes
Synthesis and properties of the 16-electron complex [(C_5Me_5)-RuCl(PMe^{i}Pr$_2$)] and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, 161
Hydrogen bonds
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, 53

Iminophosphane
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of [{Os_3(CO)$_{11}$}$_2$(PNCHP)], [$Os_3(\mu$-H)(μ_3-PNCP)(CO)$_7$] and [$Os_3(\mu$-H)(μ_2-PNCP)(CO)$_8$], 2
Interstitial hydrido ligand
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand [Cr_6S_8(H)(PEt$_3$)$_6$](BF$_4$), 184
Intramolecular N–H···Co bond
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the Co(CO)$_3$L$^-$ anion (L = CO, PR$_3$), 36
Iridium
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110
Isomers
The heteronuclear cluster $RuOs_3(\mu$-H)$_2$(CO)$_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104

Kinetic data
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-[FeH(H_2)(DPPE)$_2$]$^+$ and related compounds, 29

Lanthanide
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21
Lithiated pnictanes
Sterically encumbered terphenyl substituted primary pnictanes ArEH$_2$ and their metallated derivatives ArE(H)Li (Ar = –C_6H_3-2,6-Trip$_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152

Manganese
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a Mn–CH_2Cl_2 complex, 95
Mechanism
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-[FeH(H_2)(DPPE)$_2$]$^+$ and related compounds, 29
Metal hydrides
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, 53
Synthesis and structure of [(η^5-C_5Me_5)WCl$_2(\mu$-H)]$_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with (η^5-C_5Me_5)WCl_4, 77

Metallaboranes
Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$, 77
Metallocenes
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, 123
Metallodendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, 189
Molecular orbital
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, 83
Molecular structure
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196
Molybdenum
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, 44
Monocationic
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, 184

Neodymium
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21
Niobocene
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, 123
NMR T_1 measurements
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196

Octahedral core
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, 184
Organotin dendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, 189
Organotin hydride
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, 189
Osmium
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)\text{-}C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2\text{-}(CO)_6]\}]$, 169
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of $Os(Si\{OCH_2CH_2\}_3N)H_3(PPh_3)_2$, 177
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104
Osmium cluster
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_8]$, 2
Oxidative addition
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60

Phosphine
The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, 89
Phosphinic acid
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3\text{-}2,6\text{-}Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152
Phosphite
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, 95
Platinum catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, 130
Pnictanes
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3\text{-}2,6\text{-}Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152
Propadienylidene
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, 10
Protonation pathway
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the $Co(CO)_3L^-$ anion (L = CO, PR_3), 36
Proton–hydride bond
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110
Pyridinethione
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110

Quantum chemistry
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, 66

Rare earth
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21
Reduction of organics
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, 137
Rhenium
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, 10
Rhodium catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, 130
Ruthenium
Synthesis and properties of the 16-electron complex $[(C_5Me_5)\text{-}RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, 161
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, 196
The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, 89

The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, 104

Ruthenium catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, 130

Samarium
Early lanthanide organometallic hydrides: electronic and steric control of the stability, 21

Silane
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, 95

Silatranyl complexes
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of $Os(Si\{OCH_2CH_2\}_3N)H_3(PPh_3)_3$, 177

Silicon
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60

Silver
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, 44

Si–Sn dendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, 189

Sodium borohydride
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, 137

SpyH
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110

Sterically encumbered
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152

Structure correlation study
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the $Co(CO)_3L^-$ anion (L = CO, PR_3), 36

Substitution
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-$[FeH(H_2)(DPPE)_2]^+$ and related compounds, 29

Sulfur
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60

Terminal-bridge hydride exchange
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, 83

Terphenyls
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), 152

Tin
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, 60

Transition metal hydrides carbonyls
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, 66

Trihydride
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), 110

Tungsten
Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$, 77

Vinylidene
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, 10

Wavepacket dynamics
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, 66

X-ray crystal structure
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)\text{-}C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-}\text{:}\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, 169